



Mushroom Culture: From Agricultural Waste to Sustainable Wealth and Rural Prosperity

Mukesh Kumar Prajapati¹

Unnati Chauhan²

Posham Raghuram³

Deshapaka Harshini⁴

¹Assistant Professor, Department
of Plant Pathology, Bhartiya
College of Agriculture
Durg, Chattisgarh

²Research Scholar, Department
of Commerce, ICFAI University
Raipur, Chattisgarh, India

³M.Sc. Sericulture, Kakatiya
University, Telangana, India

⁴M.Sc. Food Science and
Technology, Osmania
University, Telangana, India



*Corresponding Author

Mukesh Kumar Prajapati*

Article History

Received: 29.09.2026

Revised: 04.10.2026

Accepted: 09.10.2026

This article is published under the
terms of the [Creative Commons
Attribution License 4.0](https://creativecommons.org/licenses/by/4.0/).

INTRODUCTION

Mushroom cultivation, an important component of modern agriculture that offers significant opportunities for sustainable income generation, waste recycling and rural employment. Mushrooms are edible fungi that can be cultivated on a variety of agricultural and agro-industrial residues such as paddy straw, wheat straw, maize residues, sawdust, cotton waste and other lignocellulosic materials. Unlike conventional crops, mushroom production does not require large areas of fertile land and can be practiced in small rooms, sheds or other protected structures.

Mushrooms are valued for their high nutritional quality, containing proteins, dietary fibre, vitamins, minerals and bioactive compounds. Species such as oyster mushroom (*Pleurotus* spp.), Button mushroom (*Agaricus bisporus*) and milky mushroom (*Calocybe indica*) have considerable potential for commercial cultivation under different climatic conditions.

One of the major advantages of mushroom culture is its contribution to the circular economy. Agricultural residues that might otherwise be burned, discarded or left to decompose can be converted into valuable food through mushroom cultivation. After harvesting, the spent mushroom substrate can be utilized as organic manure, compost, vermicompost or soil amendment, thereby returning nutrients to agricultural systems and reducing waste.

Mushroom cultivation can therefore be viewed as a form of “sustainable wealth”, where low-value biomass is transformed into nutritious food, employment and economic returns. It requires comparatively low land investment, can generate income within a relatively short production cycle and provides scope for value addition through products such as dried mushrooms, mushroom powder, pickles, soups, snacks and ready-to-cook products.

Mushroom enterprises can strengthen rural livelihoods by creating opportunities across the value chain, including spawn production, substrate preparation, cultivation, harvesting, processing, packaging and marketing. With

appropriate technical training, quality spawn, hygienic production practices, efficient water and energy use, and organized marketing, mushroom culture can become a viable enterprise for sustainable rural development.



Indoor Cultivation Room Design

For small-scale and semi-commercial mushroom production, cultivation is generally carried out in enclosed indoor rooms adapted to maintain hygienic and stable environmental conditions. The walls and floors of the cultivation room should be constructed using smooth and washable materials to facilitate regular cleaning and disinfection practices, thereby minimizing contamination from competing microorganisms. The room should be protected from direct sunlight because excessive heat and light negatively affect mycelial colonization and fruit body development. Adequate ventilation is essential to ensure continuous fresh air exchange and prevent excessive accumulation of carbon dioxide generated during mushroom growth. Ventilation openings should preferably be covered with fine mesh screens to restrict the entry of insects and pests. Inside the cultivation room, racks or shelving systems are installed in multiple tiers to maximize vertical space utilization and increase production capacity per unit area. These racks facilitate systematic arrangement of substrate bags while allowing easy access for watering, monitoring, and harvesting operations. Humidity maintenance systems such as mist sprayers, foggers, or

humidifiers are commonly installed to maintain suitable moisture conditions required for fruiting body development.

Outdoor and Commercial Mushroom Growing Structures

Large-scale commercial mushroom production requires specially designed cultivation houses capable of maintaining controlled environmental conditions throughout the cropping cycle. These structures are often constructed using locally available materials such as bamboo, wood, galvanized iron, or steel frames depending on economic feasibility and durability requirements. The structures are generally covered with polythene sheets, UV-stabilized films, or shade nets to protect the crop from direct sunlight, rainfall, and sudden environmental fluctuations. The structural design must ensure proper insulation and maintenance of high relative humidity inside the growing chamber to support healthy mushroom development. Efficient ventilation systems are incorporated to maintain adequate air circulation and remove excess carbon dioxide, which can adversely affect fruit body formation and mushroom quality. Ventilation may be achieved naturally through strategically placed openings or mechanically through

exhaust fans and forced-air systems in advanced commercial units. The overall layout of the structure should also support efficient workflow, sanitation management, substrate handling, and harvesting activities to improve operational efficiency and reduce contamination risks.

Environmental Control within the Cultivation Structure

Environmental management within the cultivation structure is one of the most important factors influencing mushroom growth and yield performance. Different mushroom species require specific environmental conditions during spawn running and fruiting stages; therefore, precise regulation of temperature and humidity is essential. Temperature must be maintained within the optimum range suitable for the cultivated species because fluctuations can negatively affect mycelial growth, pinhead initiation, and yield quality. Relative humidity inside the cultivation chamber is generally maintained between 70 and 90 percent to prevent drying of the substrate and developing fruiting bodies. Most cultivated mushrooms require low-intensity or diffused light during fruiting, while excessive light exposure can increase internal temperature and reduce moisture levels. Continuous fresh air exchange is necessary to maintain oxygen availability and regulate carbon dioxide concentration within the growing environment. To achieve stable humidity conditions, water spraying

systems, foggers, or automated humidification systems are widely used in mushroom cultivation units. Advanced commercial farms often utilize automated environmental control systems integrated with sensors to regulate temperature, humidity, and ventilation more efficiently.

Arrangement and Placement of Mushroom Bags

Proper arrangement of mushroom substrate bags inside the cultivation unit is essential for maximizing space utilization, maintaining adequate air circulation, and minimizing contamination risks. Mushroom bags are generally arranged systematically on racks in horizontal and vertical rows to optimize production capacity while ensuring uniform environmental exposure to all substrate units. Adequate spacing between bags must be maintained to facilitate proper airflow and reduce excessive moisture accumulation that may encourage contamination and disease development. The arrangement should also allow easy access for crop monitoring, watering, harvesting, and removal of contaminated substrate bags. Proper spacing and systematic organization contribute to uniform mushroom growth and improved yield distribution throughout the cultivation area. In commercial cultivation systems, standardized rack dimensions and organized placement methods are commonly adopted to improve labor efficiency and simplify crop management practices.





Mushroom Farming;

Substrate Preparation

The thing you do when you want to grow mushrooms is get the substrate ready. The substrate is like dirt for the mushrooms. You can use straw from rice or wheat or sawdust or old food that farmers do not need anymore. You cut the substrate into pieces and put them in water. This makes the substrate wet. Then you make it hot with water or steam to kill the tiny living things. You must get the substrate ready just right, so the mushrooms have a place to grow and get the food they need. Mushroom cultivation is, about giving the mushrooms what they need to grow, and it starts with the substrate.

Spawning

When we want to grow mushrooms, we need to do something called spawning. This is when we put mushroom seeds into the material that the mushrooms will grow in. The seeds have something called mycelium in them. This is what makes the mushrooms grow. We put the material and the seeds, in layers. We mix them together and put them in bags or special containers. If we spread the seeds around properly the mushrooms will grow evenly. We will get a better crop of mushrooms.

Incubation

The mushroom incubation stage is when the substrate with the mushroom material is kept in a room with the right temperature and humidity.

The mushroom mycelium spreads through the substrate and forms a thick web. This incubation stage of the mushroom usually takes around ten to twenty days. It depends on what kind of mushroom it is. We need to check on the mushroom to make sure it does not get contaminated and that it grows healthy.

Casing

Some kinds of mushrooms like the button mushroom and the milky mushroom need a layer, on top after the substrate is fully covered with the mycelium. This special casing layer is usually made from a mix of soil and sand. It helps to keep the moisture in and supports the growth of the mushroom fruiting bodies. The casing layer also helps the air to get in and provides an environment for the mushroom to grow.

Fruiting

The Fruiting stage is when the mushrooms start to come out from the mycelium. For this to happen the environment needs to be just right with humidity, fresh air and some light depending on the type of mushrooms. At first, you see pinheads and then they grow into full mushrooms. You have to keep the conditions during the Fruiting stage, or you will not get good mushrooms.

Harvesting

You pick the mushrooms when they are the size and mature. This is usually done by hand by twisting or cutting them carefully, so you do not

hurt them. If you pick the mushrooms at the time they will taste, better be nicer to eat and you can sell them for more money. If you wait long the mushrooms will be too old and not as good.

Hygiene and Maintenance

You must keep everything clean when you are growing mushrooms. They might get sick. You

need to clean the equipment make sure there is good air and check the environment all the time. If you do things properly you will get a lot of mushrooms. They will be good quality. The Fruiting stage and the way you take care of the mushrooms are very important, for a harvest of mushrooms.



Post-Harvest Management and Storage

Mushrooms are very fragile. They need to be handled with care after they are picked. This is because mushrooms are highly perishable, so we must take care of them right after we harvest them. When we first pick mushrooms, we must handle them, so we do not bruise them or hurt them in any way. We usually clean harvested mushrooms with a soft cloth or a soft brush to remove dirt and other things that might be, on them. We do not wash mushrooms because much water can make them go bad faster. We put mushrooms in bags or boxes that have holes in them so air can get in. This helps keep mushrooms fresh for a time. Sometimes we use a way of packaging that helps keep the air around the mushrooms just right and this can make them stay fresh even longer. To keep mushrooms fresh, we must store them in a place, around 2 to 4 degrees Celsius. This helps slow down the way mushrooms breathe and how fast bad things can grow on them. If we

store mushrooms properly, they can stay fresh for days. When we need to move mushrooms to a place, we must use a special vehicle that can keep them cold. This helps make sure that mushrooms stay good while they are being transported.

Diseases and Pest Management

Mushroom cultivation is sensitive to diseases and pests. These diseases and pests can really hurt the yield and quality of the mushrooms. So, it is necessary to do things the way to prevent losses from diseases and pests in mushroom cultivation. Some common diseases that affect mushroom cultivation include mold and dry bubble disease. Green mold competes with the mushroom mycelium in mushroom cultivation. Dry bubble disease causes the mushrooms to become deformed. Then there is blotch, which is also a common issue in mushroom cultivation. It causes brown spots to appear on the mushrooms. Mushroom

cultivation can also be affected by pests like flies and mites and nematodes. These pests can infest the mushroom beds in mushroom cultivation and damage the crops. This does not reduce the yield of mushroom cultivation but also hurts the quality of the mushrooms. To prevent all these problems in mushroom cultivation it is essential to maintain hygiene and properly sterilize the substrates used in mushroom cultivation. Temperature and humidity levels should also be controlled in mushroom cultivation. Regular monitoring of the area where mushroom cultivation is taking place is necessary to detect signs of infection in mushroom cultivation. Using pest management techniques is a good way to ensure safe and sustainable production of mushrooms, in mushroom cultivation. This includes using biological control methods and minimizing the use of chemicals in mushroom cultivation.

REFERENCES

- Ahlawat, O. P., & Tewari, R. P. (2019). *Mushroom cultivation: A practical guide*. ICAR–Directorate of Mushroom Research, Solan, India.
- Chang, S. T., & Miles, P. G. (2004). *Mushrooms: Cultivation, nutritional value, medicinal effect, and environmental impact*. CRC Press.
- Royse, D. J., Baars, J., & Tan, Q. (2017). Current overview of mushroom production in the world. In D. C. Zied & A. Pardo-Giménez (Eds.), *Edible and medicinal mushrooms: Technology and applications*. Wiley-Blackwell.
- Ritota, M., & Manzi, P. (2019). *Pleurotus* spp. cultivation on different agro-industrial wastes: A sustainable approach. *Sustainability*, 11, 5049.
- Grimm, D., & Wösten, H. A. B. (2018). Mushroom cultivation in the circular economy. *Applied Microbiology and Biotechnology*, 102, 7795–7803.
- Sadh, P. K., Duhan, S., & Duhan, J. S. (2018). Agro-industrial wastes and their utilization using solid-state fermentation: A review. *Bioresources and Bioproducts*, 3, 1–12.
- Atila, F. (2019). Evaluation of suitability of various agro-wastes for productivity of *Pleurotus ostreatus* mushroom. *Journal of Experimental Agriculture International*, 30, 1–11.
- Sharma, V. P., Annepu, S. K., Kumar, S., Kamal, S., & Singh, M. (2017). Status of mushroom production in India. *Mushroom Research*, 26, 1–15.
- Singh, M., Kamal, S., & Sharma, V. P. (2011). Mushroom cultivation: A profitable agri-business enterprise. *Mushroom Research*, 20, 1–10.
- Vaidya, S. (2001). *Problems, potential and economics of mushroom cultivation: A study in Himachal Pradesh, Uttar Pradesh and Bihar*. Agro-Economic Research Centre, Himachal Pradesh University, Shimla.
- Singh, P., Pandey, U. K., & Suhag, K. S. (2001). Economic feasibility of mushroom farming in Haryana. *Mushroom Research*, 10(2), 91–98.
- Meena, K. N., Pant, D. C., & Upadhyay, B. (2009). Production and marketing of mushroom in Udaipur district of Rajasthan. *Indian Journal of Agricultural Marketing*.
- Mohapatra, K. B. (2020). Prospects of mushroom growing as a livelihood option in rainfed agro-ecosystems. [Use the complete journal or institutional publication details if available.]
- Ghosh, N., et al. (2026). Sustainable mushroom cultivation: A scoping review on the use of agro-industrial wastes and by-products as substrates. *World Journal of Microbiology and Biotechnology*. The review examined 46 peer-reviewed studies published between 2015 and 2024.
- Sadhukhan, R., et al. (2022). Sustainability perspectives for future continuity of mushroom production: The bright and dark sides. *Frontiers in Sustainable Food Systems*, 6, 1026508